

# Das erste C++ - Programm

```
// Program: power8.cpp
// Raise a number to the eighth power.

#include <iostream>

int main()
{
    // input
    std::cout << "Compute a^8 for a =? ";
    int a;
    std::cin >> a;

    // computation
    int b = a * a; // b = a^2
    b = b * b;    // b = a^4

    // output b * b, i.e., a^8
    std::cout << a << "^8 = " << b * b << ".\n";
    return 0;
}
```

# Programmstruktur und Anweisungen

```
// Program: power8.cpp
// Raise a number to the eighth power.

#include <iostream>

int main()
{
    // input
    std::cout << "Compute a^8 for a =? ";
    int a;
    std::cin >> a;

    // computation
    int b = a * a; // b = a^2
    b = b * b;    // b = a^4

    // output b * b, i.e., a^8
    std::cout << a << "^8 = " << b * b << ".\n";
    return 0;
}
```

**Kommentarzeilen**

**Include-Direktive** für Ein- und Ausgabe

**Funktionsdeklaration** der main-Funktion mit **Funktionsdefinition** (Hauptprogramm) in { }

**Deklarationsanweisung** (führt eine Variable ein)

**Ausdrucksanweisung**

**Ausdrucksanweisung** (wertet Ausdruck aus)

**Rückgabeanweisung** (gibt einen Wert zurück)

# Operatoren und Operanden


```
// Program: power8.cpp
// Raise a number to the eighth power.

#include <iostream>

int main()
{
    // input
    std::cout << "Compute a^8 for a =? ";
    int a;
    std::cin >> a;

    // computation
    int b = a * a; // b = a^2
    b = b * b;    // b = a^4

    // output b * b, i.e., a^8
    std::cout << a << "^8 = " << b * b << ".\n";
    return 0;
}
```



# Ausdrücke, L-Werte und R-Werte

```
// Program: power8.cpp
// Raise a number to the eighth power.

#include <iostream>

int main()
{
    // input
    std::cout << "Compute a^8 for a =? ";
    int a;
    std::cin >> a;

    // computation
    int b = a * a; // b = a^2
    b = b * b;    // b = a^4

    // output b * b, i.e., a^8
    std::cout << a << "^8 = " << b * b << ".\n";
    return 0;
}
```

