

Properties of line segments.


26. Geometric Algorithms

Properties of Line Segments, Intersection of Line Segments, Convex Hull, Closest Point Pair [Ottman/Widmayer, Kap. 8.2, 8.3, 8.8.2, Cormen et al, Kap. 33]


Cross-Product of two vectors $p_1 = (x_1, y_1)$, $p_2 = (x_2, y_2)$ in the plane

$$p_1 \times p_2 = \det \begin{bmatrix} x_1 & x_2 \\ y_1 & y_2 \end{bmatrix} = x_1 y_2 - x_2 y_1$$

Signed area of the parallelogram




Turning direction



nach links:


$$(p_1 - p_0) \times (p_2 - p_0) > 0$$




nach rechts:

$$(p_1 - p_0) \times (p_2 - p_0) < 0$$


Intersection of two line segments




Intersection: p_1 and p_2 opposite w.r.t $\overline{p_3p_4}$ and p_3 , p_4 opposite w.r.t $\overline{p_1p_2}$



No intersection: p_1 and p_2 on the same side of $\overline{p_3p_4}$




Intersection: p_1 on $\overline{p_3p_4}$




No intersection: p_3 and p_4 on the same side of $\overline{p_1p_2}$

Cutting many line segments



Sweepline Principle




750

751

Simplifying Assumptions

- No vertical line segments
- Each intersection is formed by at most two line segments.

Ordering line segments



Preorder (partial order without anti-symmetry)

$$\begin{aligned}s_2 &\preceq_{h_1} s_1 \\ s_1 &\preceq_{h_2} s_2 \\ s_2 &\preceq_{h_2} s_1 \\ s_3 &\preceq_{h_2} s_2\end{aligned}$$

W.r.t. h_3 the line segments are incomparable.

752

753

Moving the sweepline

- **Sweep-Line Status** : Relationship of all objects intersected by sweep-line
- **Event List** : Series of event positions, sorted by x -coordinate. Sweep-line travels from left to right and stops at each event position.

Sweep-Line Status

Preorder T of the intersected line segments Required operations:

- $\text{Insert}(T, s)$ Insert line segment s in T
- $\text{Delete}(T, s)$ Remove s from T
- $\text{Above}(T, s)$ Return line segment immediately above of s in T
- $\text{Below}(T, s)$ Return line segment immediately below of s in T

Possible Implementation: Blanced tree (AVL-Tree, Red-Black Tree etc.)


754

755

Algorithm Any-Segments-Intersect(S)

Input : List of line segments S
Output : Returns if S contains intersecting segments
 $T \leftarrow \emptyset$
Sort endpoints of line segments in S from left to right (left before right and lower before upper)
for Sorted end points p **do**
 if p left end point of a segment s **then**
 Insert(T, s)
 if $\text{Above}(T, s) \cap s \neq \emptyset \vee \text{Below}(T, s) \cap s \neq \emptyset$ **then return true**
 if p right end point of a segment s **then**
 if $\text{Above}(T, s) \cap \text{Below}(T, s) \neq \emptyset$ **then return true**
 Delete(T, s)
return false;

Illustration



756

757


Analysis

Runtime of the algorithm Any-Segments-Intersect

- Sorting $\mathcal{O}(n \log n)$
 - n iterations of the for loop. Each operation on the balanced tree $\mathcal{O}(\log n)$
- Overall $\mathcal{O}(n \log n)$

Convex Hull

Konvexe Hülle $CH(Q)$ einer Menge Q von Punkten: kleinstes konvexas Polygon P , so dass jeder Punkt entweder auf dem Rand oder im Inneren liegt.




758

759

Algorithm Graham-Scan

Input : Set of points Q
Output : Stack S of points of the convex hull of Q
 p_0 : point with minimal y coordinate (if required, additionally minimal x -) coordinate
 (p_1, \dots, p_m) remaining points sorted by polar angle counter-clockwise in relation to p_0 ; if points with same polar angle available, discard all except the one with maximal distance from p_0
 $S \leftarrow \emptyset$
if $m < 2$ **then return** S
Push(S, p_0); Push(S, p_1); Push(S, p_2)
for $i \leftarrow 3$ **to** m **do**
 while Winkel (NextToTop(S), Top(S), p_i) nicht nach links gerichtet **do**
 Pop(S);
 Push(S, p_i)
return S

Illustration Graham-Scan



Stack:
p15
p14
p9
p6
p2
p1
p0

760

761

Analysis

Runtime of the algorithm Graham-Scan

- Sorting $\mathcal{O}(n \log n)$
- n Iterations of the for-loop
- Amortized analysis of the multipop on a stack: amortized constant runtime of mulitpop, same here: amortized constant runtime of the While-loop.

Overall $\mathcal{O}(n \log n)$


Jarvis Marsch / Gift Wrapping algorithm

- 1 Starte mit Extrempunkt (z.B. unterster Punkt) $p = p_0$
- 2 Suche Punkt q , so dass \overline{pq} am weitesten rechts liegende Gerade, d.h. jeder andere Punkt liegt links von der Geraden \overline{pq} (oder auf der Geraden näher bei p).
- 3 Fahre mit $p \leftarrow q$ bei (2) weiter, bis $p = p_0$.

762

763

Illustration Jarvis



Analysis Gift-Wrapping

- Let h be the number of corner points of the convex hull.
- Runtime of the algorithm $\mathcal{O}(h \cdot n)$.

764

765

Closest Point Pair


Euclidean Distance $d(s, t)$ of two points s and t :

$$d(s, t) = \|s - t\|_2 \\ = \sqrt{(s_x - t_x)^2 + (s_y - t_y)^2}$$

Problem: Find points p and q from Q for which


$$d(p, q) \leq d(s, t) \quad \forall s, t \in Q, s \neq t.$$

Naive: all $\binom{n}{2} = \Theta(n^2)$ point pairs.



Divide And Conquer

- Set of points P , starting with $P \leftarrow Q$
- Arrays X and Y , containing the elements of P , sorted by x - and y -coordinate, respectively.
- Partition point set into two (approximately) equally sized sets P_L and P_R , separated by a vertical line through a point of P .
- Split arrays X and Y accordingly in X_L , X_R , Y_L and Y_R .




766

767


Divide And Conquer

- Recursive call with P_L, X_L, Y_L and P_R, X_R, Y_R . Yields minimal distances δ_L, δ_R .
- (If only $k \leq 3$ points: compute the minimal distance directly)
- After recursive call $\delta = \min(\delta_L, \delta_R)$. Combine (next slides) and return best result.



Combine

- Generate an array Y' holding y -sorted points from Y , that are located within a 2δ band around the dividing line
- Consider for each point $p \in Y'$ the seven! (!) points after p . Compute minimal distance δ' .
- If $\delta' < \delta$, then a closer pair in P than in P_L and P_R found. Return minimal distance.



*It can be shown that maximally eight points from P can be located in the shown rectangle. Here without proof.

768

769

Implementation

- Goal: recursion equation (runtime) $T(n) = 2 \cdot T(\frac{n}{2}) + \mathcal{O}(n)$.
- Consequence: forbidden to sort in each steps of the recursion.
- Non-trivial: only arrays Y and Y'
- Idea: merge reversed: run through Y that is presorted by y -coordinate. For each element follow the selection criterion of the x -coordinate and append the element either to Y_L or Y_R . Same procedure for Y' . Runtime $\mathcal{O}(|Y|)$.

Overall runtime: $\mathcal{O}(n \log n)$.