


12. Graphs

Notation, Representation, Graph Traversal (DFS, BFS), Topological Sorting, Ottman/Widmayer, Kap. 9.1 - 9.4, Cormen et al, Kap. 22


Königsberg 1736



254

255

[Multi]Graph




256

Cycles


- Is there a cycle through the town (the graph) that uses each bridge (each edge) exactly once?
- Euler (1736): no.
- Such a cycle is called *Eulerian path*.
- Eulerian path \Leftrightarrow each node provides an even number of edges (each node is of an *even degree*).

' \Rightarrow ' ist straightforward, " \Leftarrow " ist a bit more difficult




257

Notation



$$V = \{1, 2, 3, 4, 5\}$$

$$E = \{\{1, 2\}, \{1, 3\}, \{2, 3\}, \{2, 4\}, \{2, 5\}, \{3, 4\}, \{3, 5\}, \{4, 5\}\}$$




$$V = \{1, 2, 3, 4, 5\}$$

$$E = \{(1, 3), (2, 1), (2, 5), (3, 2), (3, 4), (4, 2), (4, 5), (5, 3)\}$$

258

Notation


A **directed graph** consists of a set $V = \{v_1, \dots, v_n\}$ of nodes (*Vertices*) and a set $E \subseteq V \times V$ of Edges. The same edges may not be contained more than once.



259

Notation

An **undirected graph** consists of a set $V = \{v_1, \dots, v_n\}$ of nodes and a set $E \subseteq \{\{u, v\} | u, v \in V\}$ of edges. Edges may not be contained more than once.⁷




⁷As opposed to the introductory example – it is then called multi-graph.

260

Notation


An undirected graph $G = (V, E)$ without loops where E comprises all edges between pairwise different nodes is called **complete**.



261

Notation


A graph where V can be partitioned into disjoint sets U and W such that each $e \in E$ provides a node in U and a node in W is called **bipartite**.



262

Notation

A **weighted graph** $G = (V, E, c)$ is a graph $G = (V, E)$ with an **edge weight function** $c: E \rightarrow \mathbb{R}$. $c(e)$ is called **weight** of the edge e .




263

Notation

For directed graphs $G = (V, E)$

- $w \in V$ is called **adjacent** to $v \in V$, if $(v, w) \in E$
- **Predecessors** of $v \in V$: $N^-(v) := \{u \in V \mid (u, v) \in E\}$.
- **Successors**: $N^+(v) := \{u \in V \mid (v, u) \in E\}$




264

Notation

For directed graphs $G = (V, E)$

- **In-Degree**: $\deg^-(v) = |N^-(v)|$,
- **Out-Degree**: $\deg^+(v) = |N^+(v)|$





265

Notation

For undirected graphs $G = (V, E)$:

- $w \in V$ is called **adjacent** to $v \in V$, if $\{v, w\} \in E$
- **Neighbourhood** of $v \in V$: $N(v) = \{w \in V | \{v, w\} \in E\}$
- **Degree** of v : $\deg(v) = |N(v)|$ with a special case for the loops: increase the degree by 2.



266

Relationship between node degrees and number of edges

For each graph $G = (V, E)$ it holds

- 1 $\sum_{v \in V} \deg^-(v) = \sum_{v \in V} \deg^+(v) = |E|$, for G directed
- 2 $\sum_{v \in V} \deg(v) = 2|E|$, for G undirected.

267

Paths

- **Path**: a sequence of nodes $\langle v_1, \dots, v_{k+1} \rangle$ such that for each $i \in \{1 \dots k\}$ there is an edge from v_i to v_{i+1} .
- **Length** of a path: number of contained edges k .
- **Weight** of a path (in weighted graphs): $\sum_{i=1}^k c((v_i, v_{i+1}))$ (bzw. $\sum_{i=1}^k c(\{v_i, v_{i+1}\})$)
- **Simple path**: path without repeating vertices

268

Connectedness

- An undirected graph is called **connected**, if for each pair $v, w \in V$ there is a connecting path.
- A directed graph is called **strongly connected**, if for each pair $v, w \in V$ there is a connecting path.
- A directed graph is called **weakly connected**, if the corresponding undirected graph is connected.

269

Simple Observations

- generally: $0 \leq |E| \in \mathcal{O}(|V|^2)$
- connected graph: $|E| \in \Omega(|V|)$
- complete graph: $|E| = \frac{|V| \cdot (|V|-1)}{2}$ (undirected)
- Maximally $|E| = |V|^2$ (directed), $|E| = \frac{|V| \cdot (|V|+1)}{2}$ (undirected)

270

Cycles


- **Cycle**: path $\langle v_1, \dots, v_{k+1} \rangle$ with $v_1 = v_{k+1}$
- **Simple cycle**: Cycle with pairwise different v_1, \dots, v_k , that does not use an edge more than once.
- **Acyclic**: graph without any cycles.

Conclusion: undirected graphs cannot contain cycles with length 2 (loops have length 1)

271

Representation using a Matrix

Graph $G = (V, E)$ with nodes v_1, \dots, v_n stored as **adjacency matrix** $A_G = (a_{ij})_{1 \leq i, j \leq n}$ with entries from $\{0, 1\}$. $a_{ij} = 1$ if and only if edge from v_i to v_j .





$$\begin{pmatrix} 0 & 1 & 1 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 1 & 1 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 1 \end{pmatrix}$$

Memory consumption $\Theta(|V|^2)$. A_G is symmetric, if G undirected.

272

Representation with a List

Many graphs $G = (V, E)$ with nodes v_1, \dots, v_n provide much less than n^2 edges. Representation with **adjacency list**: Array $A[1], \dots, A[n]$, A_i comprises a linked list of nodes in $N^+(v_i)$.




Memory Consumption $\Theta(|V| + |E|)$.

273

Runtimes of simple Operations

Operation	Matrix	List
Find neighbours/successors of $v \in V$	$\Theta(n)$	$\Theta(\deg^+ v)$
find $v \in V$ without neighbour/successor	$\Theta(n^2)$	$\Theta(n)$
$(u, v) \in E?$	$\Theta(1)$	$\Theta(\deg^+ v)$
Insert edge	$\Theta(1)$	$\Theta(1)$
Delete edge	$\Theta(1)$	$\Theta(\deg^+ v)$

Adjacency Matrix Product



$$B := A_G^2 = \begin{pmatrix} 0 & 1 & 1 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 1 & 1 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 1 \end{pmatrix}^2 = \begin{pmatrix} 0 & 1 & 0 & 1 & 1 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 1 & 2 \end{pmatrix}$$

274

275

Interpretation

Theorem

Let $G = (V, E)$ be a graph and $k \in \mathbb{N}$. Then the element $a_{i,j}^{(k)}$ of the matrix $(a_{i,j}^{(k)})_{1 \leq i,j \leq n} = (A_G)^k$ provides the number of paths with length k from v_i to v_j .

Proof


By Induction.

Base case: straightforward for $k = 1$. $a_{i,j} = a_{i,j}^{(1)}$.

Hypothesis: claim is true for all $k \leq l$

Step ($l \rightarrow l + 1$):

$$a_{i,j}^{(l+1)} = \sum_{k=1}^n a_{i,k}^{(l)} \cdot a_{k,j}$$



$a_{k,j} = 1$ iff edge k to j , 0 otherwise. Sum counts the number paths of length l from node v_i to all nodes v_k that provide a direct direction to node v_j , i.e. all paths with length $l + 1$.

276

277

Example: Shortest Path


Question: is there a path from i to j ? How long is the shortest path?

Answer: exponentiate A_G until for some $k < n$ it holds that $a_{i,j}^{(k)} > 0$. k provides the path length of the shortest path. If $a_{i,j}^{(k)} = 0$ for all $1 \leq k < n$, then there is no path from i to j .

Example: Number triangles

Question: How many triangular path does an undirected graph contain?

Answer: Remove all cycles (diagonal entries). Compute A_G^3 . $a_{ii}^{(3)}$ determines the number of paths of length 3 that contain i . There are 6 different permutations of a triangular path. Thus for the number of triangles: $\sum_{i=1}^n a_{ii}^{(3)} / 6$.




$$\begin{pmatrix} 0 & 0 & 1 & 1 & 1 \\ 0 & 0 & 1 & 1 & 1 \\ 1 & 1 & 0 & 1 & 1 \\ 1 & 1 & 1 & 0 & 0 \\ 1 & 1 & 1 & 0 & 0 \end{pmatrix}^3 = \begin{pmatrix} 4 & 4 & 8 & 8 & 8 \\ 4 & 4 & 8 & 8 & 8 \\ 8 & 8 & 8 & 8 & 8 \\ 8 & 8 & 8 & 4 & 4 \\ 8 & 8 & 8 & 4 & 4 \end{pmatrix} \Rightarrow 24/6 = 4 \text{ Dreiecke.}$$

278


279

Depth First Search




Graph Traversal: Depth First Search

Follow the path into its depth until nothing is left to visit.



Order $a, b, c, f, d, e, g, h, i$

Adjazenzliste



280

281

Algorithm Depth First visit DFS-Visit(G, v)

Input : graph $G = (V, E)$, Knoten v .

Mark v visited

```
foreach  $w \in N^+(v)$  do
  if  $\neg(w \text{ visited})$  then
    DFS-Visit( $G, w$ )
```

Depth First Search starting from node v . Running time (without recursion): $\Theta(\text{deg}^+ v)$

282

Algorithm Depth First visit DFS-Visit(G)

Input : graph $G = (V, E)$

```
foreach  $v \in V$  do
  Mark  $v$  not visited
```

```
foreach  $v \in V$  do
  if  $\neg(v \text{ visited})$  then
    DFS-Visit( $G, v$ )
```

Depth First Search for all nodes of a graph. Running time:
 $\Theta(|V| + \sum_{v \in V} (\text{deg}^+(v) + 1)) = \Theta(|V| + |E|)$.

283

Iterative DFS-Visit(G, v)

Input : graph $G = (V, E)$

Stack $S \leftarrow \emptyset$; push(S, v)

while $S \neq \emptyset$ **do**

```
   $w \leftarrow \text{pop}(S)$ 
```

```
  if  $\neg(w \text{ visited})$  then
```

```
    mark  $w$  visited
```

```
    foreach  $(w, c) \in E$  do // (in reverse order, potentially)
```

```
      if  $\neg(c \text{ visited})$  then
```


```
        push( $S, c$ )
```

Stack size up to $|E|$, for each node an extra of $\Theta(\text{deg}^+(w) + 1)$ operations. Overall: $\Theta(|V| + |E|)$

Including all calls from the above main program: $\Theta(|V| + |E|)$

284


Breadth First Search




285

Graph Traversal: Breadth First Search

Follow the path in breadth and only then descend into depth.



Adjazenzliste



Iterative BFS-Visit(G, v)

Input : graph $G = (V, E)$

```

Queue  $Q \leftarrow \emptyset$ 
Mark  $v$  as active
enqueue( $Q, v$ )
while  $Q \neq \emptyset$  do
   $w \leftarrow$  dequeue( $Q$ )
  mark  $w$  visited
  foreach  $c \in N^+(w)$  do
    if  $\neg(c \text{ visited} \vee c \text{ active})$  then
      Mark  $c$  as active
      enqueue( $Q, c$ )
    
```

- Algorithm requires extra space of $\mathcal{O}(|V|)$.
- Running time including main program: $\Theta(|V| + |E|)$.

286

287

Topological Sorting

Topological Sorting

	A	B	C	D	E	F	G	H	I
1		Task 1	Task 2	Task 3	Task 4	Total		Note	
2	TOTAL	8	8	10	10	36			
3	Arleen	4	5	6	9	24		4	
4	Hans	1	3	2	3	9		1.5	
5	Mike	2	7	5	4	18		3	
6	Selina	6	5	8	2	21		3.5	
7									
8				Durchschnitt		18		3	
9									
10									
11									
12									
13									
14									

Evaluation Order?

Topological Sorting of an acyclic directed graph $G = (V, E)$:

Bijjective mapping

$$\text{ord} : V \rightarrow \{1, \dots, |V|\}$$

such that


$$\text{ord}(v) < \text{ord}(w) \forall (v, w) \in E.$$

Identify i with Element $v_i := \text{ord}^1(i)$. Topological sorting $\hat{=}$ $\langle v_1, \dots, v_{|V|} \rangle$.


288

289

(Counter-)Examples



Cyclic graph: cannot be sorted topologically.



A possible topological sorting of the graph:
Unterhemd, Pullover, Unterhose, Uhr, Hose, Mantel, Socken, Schuhe

Observation

Theorem

A directed graph $G = (V, E)$ permits a topological sorting if and only if it is acyclic.

Proof “ \Rightarrow ”: If G contains a cycle it cannot permit a topological sorting, because in a cycle $\langle v_{i_1}, \dots, v_{i_m} \rangle$ it would hold that $v_{i_1} < \dots < v_{i_m} < v_{i_1}$.

290

291

Inductive Proof Opposite Direction

- Base case ($n = 1$): Graph with a single node without loop can be sorted topologically, $\text{setord}(v_1) = 1$.
- Hypothesis: Graph with n nodes can be sorted topologically
- Step ($n \rightarrow n + 1$):
 - 1 G contains a node v_q with in-degree $\deg^-(v_q) = 0$. Otherwise iteratively follow edges backwards – after at most $n + 1$ iterations a node would be revisited. Contradiction to the cycle-freeness.
 - 2 Graph without node v_q and without its edges can be topologically sorted by the hypothesis. Now use this sorting and set $\text{ord}(v_i) \leftarrow \text{ord}(v_i) + 1$ for all $i \neq q$ and set $\text{ord}(v_q) \leftarrow 1$.

292

Preliminary Sketch of an Algorithm

Graph $G = (V, E)$. $d \leftarrow 1$

- 1 Traverse backwards starting from any node until a node v_q with in-degree 0 is found.
- 2 If no node with in-degree 0 found after n steps, then the graph has a cycle.
- 3 Set $\text{ord}(v_q) \leftarrow d$.
- 4 Remove v_q and his edges from G .
- 5 If $V \neq \emptyset$, then $d \leftarrow d + 1$, go to step 1.

Worst case runtime: $\Theta(|V|^2)$.

293

Improvement

Idea?

Compute the in-degree of all nodes in advance and traverse the nodes with in-degree 0 while correcting the in-degrees of following nodes.

Algorithm Topological-Sort(G)

Input : graph $G = (V, E)$.

Output : Topological sorting ord

Stack $S \leftarrow \emptyset$

foreach $v \in V$ **do** $A[v] \leftarrow 0$

foreach $(v, w) \in E$ **do** $A[w] \leftarrow A[w] + 1$ // Compute in-degrees

foreach $v \in V$ with $A[v] = 0$ **do** push(S, v) // Memorize nodes with in-degree 0

$i \leftarrow 1$

while $S \neq \emptyset$ **do**

$v \leftarrow \text{pop}(S)$; ord[v] $\leftarrow i$; $i \leftarrow i + 1$ // Choose node with in-degree 0

foreach $(v, w) \in E$ **do** // Decrease in-degree of successors

$A[w] \leftarrow A[w] - 1$

if $A[w] = 0$ **then** push(S, w)

if $i = |V| + 1$ **then return** ord **else return** "Cycle Detected"

294

295

Algorithm Correctness

Theorem

Let $G = (V, E)$ be a directed acyclic graph. Algorithm TopologicalSort(G) computes a topological sorting ord for G with runtime $\Theta(|V| + |E|)$.

Proof: follows from previous theorem:

- 1 Decreasing the in-degree corresponds with node removal.
- 2 In the algorithm it holds for each node v with $A[v] = 0$ that either the node has in-degree 0 or that previously all predecessors have been assigned a value ord[u] $\leftarrow i$ and thus ord[v] $>$ ord[u] for all predecessors u of v . Nodes are put to the stack only once.
- 3 Runtime: inspection of the algorithm (with some arguments like with graph traversal)

296

Algorithm Correctness

Theorem

Let $G = (V, E)$ be a directed graph containing a cycle. Algorithm TopologicalSort(G) terminates within $\Theta(|V| + |E|)$ steps and detects a cycle.

Proof: let $\langle v_{i_1}, \dots, v_{i_k} \rangle$ be a cycle in G . In each step of the algorithm remains $A[v_{i_j}] \geq 1$ for all $j = 1, \dots, k$. Thus k nodes are never pushed on the stack and therefore at the end it holds that $i \leq |V| + 1 - k$.

The runtime of the second part of the algorithm can become shorter. But the computation of the in-degree costs already $\Theta(|V| + |E|)$.

297

Alternative: Algorithm DFS-Topsort(G, v)

Input : graph $G = (V, E)$, node v , node list L .

if v active **then**

└ stop (Cycle)

if v visited **then**

└ **return**

Mark v active

foreach $w \in N^+(v)$ **do**

└ DFS-Topsort(G, w)

Mark v visited

Add v to head of L

Call this algorithm for each node that has not yet been visited.

Asymptotic Running Time $\Theta(|V| + |E|)$.