


Exercise – Applying Pointers

Exercise – Applying Pointers

- Apply this function...


```
// PRE: [b, e) and [o, o+(e-b)) are disjoint
//       valid ranges
void f (int* b, int* e, int* o) {
    while (b != e) {
        --e;
        *o = *e;
        ++o;
    }
}
```

- ... to this example-array:



Exercise – Applying Pointers


```
void f (int* b, int* e, int* o) {  
    while (b != e) {  
        --e;  
        *o = *e;  
        ++o;  
    }  
}
```



Exercise – Applying Pointers


true

```
void f (int* b, int* e, int* o) {  
    while (*b != *e) {  
        --e;  
        *o = *e;  
        ++o;  
    }  
}
```




Exercise – Applying Pointers

```
void f (int* b, int* e, int* o) {  
    while (b != e) {  
        --e;  
        *o = *e;  
        ++o;  
    }  
}
```




Exercise – Applying Pointers

```
void f (int* b, int* e, int* o) {  
    while (b != e) {  
        --e;  
        *o = *e;  
        ++o;  
    }  
}
```



Exercise – Applying Pointers


```
void f (int* b, int* e, int* o) {  
    while (b != e) {  
        --e;  
        *o = *e;  
        ++o;  
    }  
}
```



Exercise – Applying Pointers


true

```
void f (int* b, int* e, int* o) {  
    while (b != e) {  
        --e;  
        *o = *e;  
        ++o;  
    }  
}
```




Exercise – Applying Pointers

```
void f (int* b, int* e, int* o) {  
    while (b != e) {  
        --e;  
        *o = *e;  
        ++o;  
    }  
}
```




Exercise – Applying Pointers

```
void f (int* b, int* e, int* o) {  
    while (b != e) {  
        --e;  
        *o = *e;  
        ++o;  
    }  
}
```




Exercise – Applying Pointers

```
void f (int* b, int* e, int* o) {  
    while (b != e) {  
        --e;  
        *o = *e;  
        ++o;  
    }  
}
```



Exercise – Applying Pointers

```
        false  
void f (int* b, int* e, int* o) {  
    while (b != e) {  
        --e;  
        *o = *e;  
        ++o;  
    }  
}
```



Exercise – Applying Pointers

- Now determine a POST-condition for the function.

```
// PRE: [b, e) and [o, o+(e-b)) are disjoint
//       valid ranges
void f (int* b, int* e, int* o) {
    while (b != e) {
        --e;
        *o = *e;
        ++o;
    }
}
```

Exercise – Applying Pointers

- Something like this:

```
// PRE: [b, e) and [o, o+(e-b)) are disjoint
//       valid ranges
// POST: The range [b, e) is copied in reverse
//       order into the range [o, o+(e-b))
void f (int* b, int* e, int* o) {
    while (b != e) {
        --e;
        *o = *e;
        ++o;
    }
}
```

Exercise – Valid Inputs

Exercise – Valid Inputs

- Which of these inputs are valid?

```
int a[5] = {1, 2, 3, 4, 5};  
a) f(a, a+5, a+5);  
b) f(a, a+2, a+3);  
c) f(a, a+3, a+2);
```

```
// PRE: [b, e) and [o, o+(e-b)) are disjoint  
//       valid ranges  
void f (int* b, int* e, int* o) {  
    while (b != e) {  
        --e;  
        *o = *e;  
        ++o;  
    }  
}
```

Exercise – Valid Inputs

- Which of these inputs are valid?

```
int a[5] = {1, 2, 3, 4, 5};  
a) f(a, a+5, a+5); X  
b) f(a, a+2, a+3);  
c) f(a, a+3, a+2);
```

[$o, o+(e-b)$)
is out of
bounds

```
// PRE: [b, e) and [o, o+(e-b)) are disjoint  
//       valid ranges  
void f (int* b, int* e, int* o) {  
    while (b != e) {  
        --e;  
        *o = *e;  
        ++o;  
    }  
}
```

Exercise – Valid Inputs

- Which of these inputs are valid?

```
int a[5] = {1, 2, 3, 4, 5};  
a) f(a, a+5, a+5); X  
b) f(a, a+2, a+3); ✓  
c) f(a, a+3, a+2);
```

[$o, o+(e-b)$)
is out of
bounds

```
// PRE: [b, e) and [o, o+(e-b)) are disjoint  
//       valid ranges  
void f (int* b, int* e, int* o) {  
    while (b != e) {  
        --e;  
        *o = *e;  
        ++o;  
    }  
}
```

Exercise – Valid Inputs

- Which of these inputs are valid?

```
int a[5] = {1, 2, 3, 4, 5};  
a) f(a, a+5, a+5); X  
b) f(a, a+2, a+3); ✓  
c) f(a, a+3, a+2); X
```

$[o, o+(e-b))$
is out of
bounds

```
// PRE: [b, e) and [o, o+(e-b)) are disjoint  
//       valid ranges  
void f (int* b, int* e, int* o) {  
    while (b != e) {  
        --e;  
        *o = *e;  
        ++o;  
    }  
}
```

Ranges not
disjoint

Exercise – const Correctness

Exercise – const Correctness

- Make the function const-correct.

```
// PRE: [b, e) and [o, o+(e-b)) are disjoint
//       valid ranges
void f (int* b, int* e, int* o) {
    while (b != e) {
        --e;
        *o = *e;
        ++o;
    }
}
```

Exercise – const Correctness

- Make the function const-correct.

```
// PRE: [b, e) and [o, o+(e-b)) are disjoint
//       valid ranges
void f (const int* b, const int* e, int* o) {
    while (b != e) {
        --e;
        *o = *e;
        ++o;
    }
}
```

By the way...

By the way...

- ...this function does the same thing:

```
// PRE: [b, e) and [o, o+(e-b)) are disjoint
//       valid ranges
void f (int* b, int* e, int* o) {
    while (b != e) * (o++) = * (--e);
}
```