

Eisenbahn



```
struct zug {  
    int loks;  
    int wagen;  
};  
zug& operator+=(zug& x, zug& y){  
    x.wagen += y.wagen;  
    y.wagen = 0;  
    return x;  
}  
std::ostream& operator<<  
    (std::ostream& o, zug z) {  
    o << std::string(z.loks, 'l');  
    o << std::string(z.wagen, 'w');  
    return o;  
}
```

Was gibt folgender Code aus?

```
zug a = {2,3};  
zug b = {1,2};  
b += a;  
std::cout  
    << a << " " << b;
```

- 1 ll lwwwww
- 2 llwww lwwwww
- 3 llwww lww
- 4 lww llwww
- 5 llwwwww l

Eisenbahn



```
struct zug {  
    int loks;  
    int wagen;  
};  
zug& operator+=(zug& x, zug& y){  
    x.wagen += y.wagen;  
    y.wagen = 0;  
    return x;  
}  
std::ostream& operator<<  
    (std::ostream& o, zug z) {  
    o << std::string(z.loks, 'l');  
    o << std::string(z.wagen, 'w');  
    return o;  
}
```

Was gibt folgender Code aus?

```
zug a = {2,3};  
zug b = {1,2};  
b += a;  
std::cout  
    << a << " " << b;
```

- 1 ll lwwwww
- 2 llwww lwwwww
- 3 llwww lww
- 4 lww llwww
- 5 llwwwww l

Eisenbahn



```
struct zug {  
    int loks;  
    int wagen;  
};  
zug& operator+=(zug& x, zug& y){  
    x.wagen += y.wagen;  
    y.wagen = 0;  
    return x;  
}  
std::ostream& operator<<  
    (std::ostream& o, zug z) {  
    o << std::string(z.loks, 'l');  
    o << std::string(z.wagen, 'w');  
    return o;  
}
```

Was gibt folgender Code aus?

```
zug a = {2,3};  
zug b = {1,2};  
b += a;  
std::cout  
    << a << " " << b;
```

- 1 ll lwwwww
- 2 llwww lwwwww
- 3 llwww lww
- 4 lww llwww
- 5 llwwwww l