

Vektoren



```
#include <iostream>
#include <vector>

void f(std::vector<int>& a, int first, int last){
    while (first < last){
        int t = a[first];
        a[first++] = a[last];
        a[last--]=t;
    }
}

int main(){
    std::vector<int> a = {2,0,1,8,0,0,7};
    f(a,2,4);
    for (int i =0; i<a.size();++i)
        std::cout << a[i];
}
```

Was gibt main aus?

- 1 2018007
- 2 2008107
- 3 2000718
- 4 7008102
- 5 7201800
- 6 7810200

Vektoren



```
#include <iostream>
#include <vector>

void f(std::vector<int>& a, int first, int last){
    while (first < last){
        int t = a[first];
        a[first++] = a[last];
        a[last--]=t;
    }
}

int main(){
    std::vector<int> a = {2,0,1,8,0,0,7};
    f(a,2,4);
    for (int i =0; i<a.size();++i)
        std::cout << a[i];
}
```

Was gibt main aus?

- 1 2018007
- 2 2008107
- 3 2000718
- 4 7008102
- 5 7201800
- 6 7810200

Vektoren



```
#include <iostream>
#include <vector>

void f(std::vector<int>& a, int first, int last){
    while (first < last){
        int t = a[first];
        a[first++] = a[last];
        a[last--]=t;
    }
}

int main(){
    std::vector<int> a = {2,0,1,8,0,0,7};
    f(a,2,4);
    for (int i =0; i<a.size();++i)
        std::cout << a[i];
}
```

Was gibt main aus?

- 1 2018007
- 2 2008107 ●
- 3 2000718
- 4 7008102
- 5 7201800
- 6 7810200