

Zeiger



Was wird ausgegeben?

```
int a[] = {1, 2};  
int* b = a;  
int c = *b;  
int* d = &c;  
  
++b;  
++(*b);  
--c;  
--(*d);  
  
std::cout << a[0] << ", "  
     << a[1] << ", "  
     << c << "\n";
```


- 1 3, 2, -2
- 2 1, 3, -1
- 3 2, 3, -1
- 4 1, 2, -2
- 5 2, 3, -2
- 6 1, 0, 0
- 7 3, 0, 0

Zeiger



Was wird ausgegeben?

```
int a[] = {1, 2};  
int* b = a;  
int c = *b;  
int* d = &c;  
  
++b;  
++(*b);  
--c;  
--(*d);  
  
std::cout << a[0] << ", "  
     << a[1] << ", "  
     << c << "\n";
```




- 1 3, 2, -2
- 2 1, 3, -1
- 3 2, 3, -1
- 4 1, 2, -2
- 5 2, 3, -2
- 6 1, 0, 0
- 7 3, 0, 0

Zeiger



Was wird ausgegeben?

```
int a[] = {1, 2};  
int* b = a;  
int c = *b;  
int* d = &c;  
  
++b;  
++(*b);  
--c;  
--(*d);  
  
std::cout << a[0] << ", "  
     << a[1] << ", "  
     << c << "\n";
```




- 1 3, 2, -2
- 2 1, 3, -1
- 3 2, 3, -1
- 4 1, 2, -2
- 5 2, 3, -2
- 6 1, 0, 0
- 7 3, 0, 0

Zeiger



Was wird ausgegeben?

```
int a[] = {1, 2};  
int* b = a;  
int c = *b;  
int* d = &c;  
  
++b;  
++(*b);  
--c;  
--(*d);  
  
std::cout << a[0] << ", "  
     << a[1] << ", "  
     << c << "\n";
```




- 1 3, 2, -2
- 2 1, 3, -1
- 3 2, 3, -1
- 4 1, 2, -2
- 5 2, 3, -2
- 6 1, 0, 0
- 7 3, 0, 0

Zeiger



Was wird ausgegeben?

```
int a[] = {1, 2};  
int* b = a;  
int c = *b;  
int* d = &c;  
  
++b;  
++(*b);  
--c;  
--(*d);  
  
std::cout << a[0] << ", "  
     << a[1] << ", "  
     << c << "\n";
```




- 1 3, 2, -2
- 2 1, 3, -1
- 3 2, 3, -1
- 4 1, 2, -2
- 5 2, 3, -2
- 6 1, 0, 0
- 7 3, 0, 0

Zeiger



Was wird ausgegeben?

```
int a[] = {1, 2};  
int* b = a;  
int c = *b;  
int* d = &c;  
  
++b;  
++(*b);  
--c;  
--(*d);  
  
std::cout << a[0] << ", "  
     << a[1] << ", "  
     << c << "\n";
```




- 1 3, 2, -2
- 2 1, 3, -1
- 3 2, 3, -1
- 4 1, 2, -2
- 5 2, 3, -2
- 6 1, 0, 0
- 7 3, 0, 0

Zeiger



Was wird ausgegeben?

```
int a[] = {1, 2};  
int* b = a;  
int c = *b;  
int* d = &c;  
  
++b;  
++(*b);  
--c;  
--(*d);  
  
std::cout << a[0] << ", "  
     << a[1] << ", "  
     << c << "\n";
```




- 1** 3, 2, -2
- 2** 1, 3, -1
- 3** 2, 3, -1
- 4** 1, 2, -2
- 5** 2, 3, -2
- 6** 1, 0, 0
- 7** 3, 0, 0

Zeiger



Was wird ausgegeben?

```
int a[] = {1, 2};  
int* b = a;  
int c = *b;  
int* d = &c;  
  
++b;  
++(*b);  
--c;  
--(*d);  
  
std::cout << a[0] << ", "  
     << a[1] << ", "  
     << c << "\n";
```




- 1 3, 2, -2
- 2 1, 3, -1
- 3 2, 3, -1
- 4 1, 2, -2
- 5 2, 3, -2
- 6 1, 0, 0
- 7 3, 0, 0

Zeiger



Was wird ausgegeben?

```
int a[] = {1, 2};  
int* b = a;  
int c = *b;  
int* d = &c;  
  
++b;  
++(*b);  
--c;  
--(*d);  
  
std::cout << a[0] << ", "  
     << a[1] << ", "  
     << c << "\n";
```



- 1 3, 2, -2
- 2 1, 3, -1 (highlighted)
- 3 2, 3, -1
- 4 1, 2, -2
- 5 2, 3, -2
- 6 1, 0, 0
- 7 3, 0, 0